

BIBLIOGRAPHY FOR THE ROLE OF CEMENT IN FRACTURE MANAGEMENT

MATERIAL SCIENCE

[Barralet JE, Gaunt T, Wright AJ, Gibson IR, Knowles JC.](#) Effect of porosity reduction by compaction on compressive strength and microstructure of calcium phosphate cement. *J Biomed Mater Res.* 2002;63(1):1-9.

[Battraw GA, Szivek JA, Anderson PL.](#) Bone bonding strength of calcium phosphate ceramic coated strain gauges. *J Biomed Mater Res.* 1999 Spring;48(1):32-5.

[Beruto DT, Mezzasalma SA, Capurro M, Botter R, Cirillo P.](#) Use of alpha-tricalcium phosphate (TCP) as powders and as an aqueous dispersion to modify processing, microstructure, and mechanical properties of polymethylmethacrylate (PMMA) bone cements and to produce bone-substitute compounds. *J Biomed Mater Res.* 2000 Mar 15;49(4):498-505.

[Berry JL, Geiger JM, Moran JM, Skraba JS, Greenwald AS.](#) Use of tricalcium phosphate or electrical stimulation to enhance the bone-porous implant interface. *J Biomed Mater Res.* 1986 Jan;20(1):65-77.

[Blom EJ, Klein-Nulend J, Wolke JG, Kurashina K, van Waas MA, Burger EH.](#) Transforming growth factor-beta1 incorporation in an alpha-tricalcium phosphate/dicalcium phosphate dihydrate/tetracalcium phosphate monoxide cement: release characteristics and physicochemical properties. *Biomaterials.* 2002 Feb;23(4):1261-8.

[Blom EJ, Klein-Nulend J, Wolke JG, van Waas MA, Driessens FC, Burger EH.](#) Transforming growth factor-beta1 incorporation in a calcium phosphate bone cement: material properties and release characteristics. *J Biomed Mater Res.* 2002 Feb;59(2):265-72.

[Blom EJ, Klein-Nulend J, Klein CP, Kurashina K, van Waas MA, Burger EH.](#) Transforming growth factor-beta1 incorporated during setting in calcium phosphate cement stimulates bone cell differentiation in vitro. *J Biomed Mater Res.* 2000 Apr;50(1):67-74.

[Braye F, Weber G, Irigaray JL, Frayssinet P.](#) Osseointegration in cortical sheep bone of calcium phosphate implants evaluated by PIXE method and histology. *J Biomed Mater Res.* 1997 Sep 5;36(3):315-24.

[Chen D.](#) [Physical properties of apatite bone cement]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi.* 2000 Mar;17(1):13-5, 18. Chinese.

[Chow LC.](#) Calcium phosphate cements. *Monogr Oral Sci.* 2001;18:148-63. Review. No abstract available.

[Chow LC, Hirayama S, Takagi S, Parry E.](#) Diametral tensile strength and compressive strength of a calcium phosphate cement: effect of applied pressure. *J Biomed Mater Res.* 2000 Sep;53(5):511-7.

[Claes L, Hoellen I, Ignatius A.](#) [Resorbable bone cements]. *Orthopade.* 1997 May;26(5):459-62. Review. German.

[Cohen MS, Whitman K.](#) Calcium phosphate bone cement--the Norian skeletal repair system in orthopedic surgery. *AORN J.* 1997 May;65(5):958-62. No abstract available.

[Constantz BR, Barr BM, Ison IC, Fulmer MT, Baker J, McKinney L, Goodman SB, Gunasekaran S, Delaney DC, Ross J, Poser RD.](#) Histological, chemical, and crystallographic analysis of four calcium phosphate cements in different rabbit osseous sites. *J Biomed Mater Res.* 1998 Winter;43(4):451-61.

[Constantz BR, Ison IC, Fulmer MT, Poser RD, Smith ST, VanWagoner M, Ross J, Goldstein SA, Jupiter JB, Rosenthal DI.](#) Skeletal repair by in situ formation of the mineral phase of bone. *Science.* 1995 Mar 24;267(5205):1796-9.

[Davies JE, Baldan N.](#) Scanning electron microscopy of the bone-bioactive implant interface. *J Biomed Mater Res.* 1997 Sep 15;36(4):429-40.

[De Maeyer EA, Verbeeck RM, Vercruyssen CW.](#) Conversion of octacalcium phosphate in calcium phosphate cements. *J Biomed Mater Res.* 2000 Oct;52(1):95-106.

[Delpech V, Lebugle A.](#) Calcium phosphate and polymer interfaces in orthopaedic cement. Clin Mater. 1990;5(2-4):209-16.

[Doi Y, Shimizu Y, Moriwaki Y, Aga M, Iwanaga H, Shibutani T, Yamamoto K, Iwayama Y.](#) Development of a new calcium phosphate cement that contains sodium calcium phosphate. Biomaterials. 2001 Apr;22(8):847-54.

[dos Santos LA, de Oliveira LC, da Silva Rigo EC, Carrodeguas RG, Boschi AO, Fonseca de Arruda AC.](#) Fiber reinforced calcium phosphate cement. Artif Organs. 2000 Mar;24(3):212-6.

[dos Santos LA, De Oliveria LC, Rigo EC, Carrodeguas RG, Boschi AO, De Arruda AC.](#) Influence of polymeric additives on the mechanical properties of alpha-tricalcium phosphate cement. Bone. 1999 Aug;25(2 Suppl):99S-102S.

[Driessens FC, Planell JA, Boltong MG, Khairoun I, Ginebra MP.](#) Osteotransductive bone cements. Proc Inst Mech Eng [H]. 1998;212(6):427-35.

[Eid K, Zelicof S, Perona BP, Sledge CB, Glowacki J.](#) Tissue reactions to particles of bone-substitute materials in intraosseous and heterotopic sites in rats: discrimination of osteoinduction, osteocompatibility, and inflammation. J Orthop Res. 2001 Sep;19(5):962-9.

[Fernandez E, Gil FJ, Best S, Ginebra MP, Driessens FC, Planell JA.](#) The cement setting reaction in the CaHPO₄-alpha-Ca₃(PO₄)₂ system: an X-ray diffraction study. J Biomed Mater Res. 1998 Dec 5;42(3):403-6.

[Fernandez E, Ginebra MP, Boltong MG, Driessens FC, Ginebra J, De Maeyer EA, Verbeeck RM, Planell JA.](#) Kinetic study of the setting reaction of a calcium phosphate bone cement. J Biomed Mater Res. 1996 Nov;32(3):367-74.

[Fernandez E, Gil FJ, Best SM, Ginebra MP, Driessens FC, Planell JA.](#) Improvement of the mechanical properties of new calcium phosphate bone cements in the CaHPO₄-alpha-Ca₃(PO₄)₂ system: compressive strength and microstructural development. J Biomed Mater Res. 1998 Sep 15;41(4):560-7.

[Flautre B, Delecourt C, Blary MC, Van Landuyt P, Lemaitre J, Hardouin P.](#) Volume effect on biological properties of a calcium phosphate hydraulic cement: experimental study in sheep. Bone. 1999 Aug;25(2 Suppl):35S-39S.

[Flautre B, Maynou C, Lemaitre J, Van Landuyt P, Hardouin P.](#) Bone colonization of beta-TCP granules incorporated in brushite cements. J Biomed Mater Res. 2002;63(4):413-7.

[Frankenburg EP, Goldstein SA, Bauer TW, Harris SA, Poser RD.](#) Biomechanical and histological evaluation of a calcium phosphate cement. J Bone Joint Surg Am. 1998 Aug;80(8):1112-24.

[Frayssinet P, Gineste L, Conte P, Fages J, Rouquet N.](#) Short-term implantation effects of a DCPD-based calcium phosphate cement. Biomaterials. 1998 Jun;19(11-12):971-7.

[Fujishiro Y, Takahashi K, Sato T.](#) Preparation and compressive strength of alpha-tricalcium phosphate/gelatin gel composite cement. J Biomed Mater Res. 2001 Mar 15;54(4):525-30.

[Fulmer MT, Ison IC, Hankermayer CR, Constantz BR, Ross J.](#) Measurements of the solubilities and dissolution rates of several hydroxyapatites. Biomaterials. 2002 Feb;23(3):751-5.

[Gerhart TN, Renshaw AA, Miller RL, Noecker RJ, Hayes WC.](#) In vivo histologic and biomechanical characterization of a biodegradable particulate composite bone cement. J Biomed Mater Res. 1989 Jan;23(1):1-16.

[Ginebra MP, Fernandez E, Boltong MG, Bermudez O, Planell JA, Driessens FC.](#) Compliance of an apatitic calcium phosphate cement with the short-term clinical requirements in bone surgery, orthopaedics and dentistry. Clin Mater. 1994;17(2):99-104.

[Gresser JD, Hsu SH, Nagaoka H, Lyons CM, Nieratko DP, Wise DL, Barabino GA, Trantolo DJ.](#) Analysis of a vinyl pyrrolidone/poly(propylene fumarate) resorbable bone cement. J Biomed Mater Res. 1995 Oct;29(10):1241-7.

[Hamadouche M, Sedel L](#). Ceramics in orthopaedics. *J Bone Joint Surg Br*. 2000 Nov;82(8):1095-9. Review. No abstract available.

[Hamanishi C, Kitamoto K, Tanaka S, Otsuka M, Doi Y, Kitahashi T](#). A self-setting TTCP-DCPD apatite cement for release of vancomycin. *J Biomed Mater Res*. 1996 Fall;33(3):139-43.

[Hamanishi C, Kitamoto K, Ohura K, Tanaka S, Doi Y](#). Self-setting, bioactive, and biodegradable TTCP-DCPD apatite cement. *J Biomed Mater Res*. 1996 Nov;32(3):383-9.

[Hankermeyer CR, Ohashi KL, Delaney DC, Ross J, Constantz BR](#). Dissolution rates of carbonated hydroxyapatite in hydrochloric acid. *Biomaterials*. 2002 Feb;23(3):743-50.

[Hsieh MF, Perng LH, Chin TS, Perng HG](#). Phase purity of sol-gel-derived hydroxyapatite ceramic. *Biomaterials*. 2001 Oct;22(19):2601-7.

[Ikenaga M, Hardouin P, Lemaitre J, Andrianjatovo H, Flautre B](#). Biomechanical characterization of a biodegradable calcium phosphate hydraulic cement: a comparison with porous biphasic calcium phosphate ceramics. *J Biomed Mater Res*. 1998 Apr;40(1):139-44.

[Ingham E, Green TR, Stone MH, Kowalski R, Watkins N, Fisher J](#). Production of TNF-alpha and bone resorbing activity by macrophages in response to different types of bone cement particles. *Biomaterials*. 2000 May;21(10):1005-13.

[Ishikawa K, Takagi S, Chow LC, Suzuki K](#). Reaction of calcium phosphate cements with different amounts of tetracalcium phosphate and dicalcium phosphate anhydrous. *J Biomed Mater Res*. 1999 Sep 15;46(4):504-10.

[Ishikawa K, Asaoka K](#). Estimation of ideal mechanical strength and critical porosity of calcium phosphate cement. *J Biomed Mater Res*. 1995 Dec;29(12):1537-43.

[Ishikawa K, Miyamoto Y, Kon M, Nagayama M, Asaoka K](#). Non-decay type fast-setting calcium phosphate cement: composite with sodium alginate. *Biomaterials*. 1995 May;16(7):527-32.

[Ito M, Yamagishi T, Yagasaki H, Kafrawy AH](#). In vitro properties of a chitosan-bonded bone-filling paste: studies on solubility of calcium phosphate compounds. *J Biomed Mater Res*. 1996 Sep;32(1):95-8.

[Jarcho M](#). Calcium phosphate ceramics as hard tissue prosthetics. *Clin Orthop*. 1981 Jun;(157):259-78. Review. No abstract available.

[Khairoun I, Magne D, Gauthier O, Bouler JM, Aguado E, Daculsi G, Weiss P](#). In vitro characterization and in vivo properties of a carbonated apatite bone cement. *J Biomed Mater Res*. 2002 Jun 15;60(4):633-42.

[Khairoun I, Driessens FC, Boltong MG, Planell JA, Wenz R](#). Addition of cohesion promoters to calcium phosphate cements. *Biomaterials*. 1999 Feb;20(4):393-8.

[Khairoun I, Boltong MG, Driessens FC, Planell JA](#). Effect of calcium carbonate on the compliance of an apatitic calcium phosphate bone cement. *Biomaterials*. 1997 Dec;18(23):1535-9.

[Khairoun I, Boltong MG, Driessens FC, Planell JA](#). Effect of calcium carbonate on clinical compliance of apatitic calcium phosphate bone cement. *J Biomed Mater Res*. 1997 Winter;38(4):356-60.

[Kirschner RE, Karmacharya J, Ong G, Hunenko O, Losee JE, Martin B, Crombleholme TM](#). Synthetic hybrid grafts for craniofacial reconstruction: sustained gene delivery using a calcium phosphate bone mineral substitute. *Ann Plast Surg*. 2001 May;46(5):538-45.

[Kin Y](#). [Histological observations of hydroxyapatite thermal decomposition product injected into the femur of ovariectomized rats]. *Nippon Seikeigeka Gakkai Zasshi*. 1994 Jul;68(7):552-9. Japanese.

[Klein CP, Abe Y, Hosono H, de Groot K](#). Different calcium phosphate bioglass ceramics implanted in rabbit cortical bone. An interface study. *Biomaterials*. 1984 Nov;5(6):362-4.

[Knabe C, Driessens FC, Planell JA, Gildenhaar R, Berger G, Reif D, Fitzner R, Radlanski RJ, Gross U](#). Evaluation of calcium phosphates and experimental calcium phosphate bone cements using osteogenic cultures. *J Biomed Mater Res*. 2000 Dec 5;52(3):498-508.

[Kobayashi M, Nakamura T, Tamura J, Kokubo T, Kikutani T](#). Bioactive bone cement: comparison of AW-GC filler with hydroxyapatite and beta-TCP fillers on mechanical and biological properties. *J Biomed Mater Res*. 1997 Dec 5;37(3):301-13.

[Koshino T, Kubota W, Morii T](#). Bone formation as a reaction to hydraulic hydroxyapatite thermal decomposition product used as bone cement in rabbits. *Biomaterials*. 1995 Jan;16(2):125-8.

[Kubota W](#). [Osseous tissue reaction to hardened hydroxyapatite thermal decomposition product]. *Nippon Seikeigeka Gakkai Zasshi*. 1992 Jan;66(1):110-9. Japanese.

[Kurashina K, Kurita H, Hirano M, Kotani A, Klein CP, de Groot K](#). In vivo study of calcium phosphate cements: implantation of an alpha-tricalcium phosphate/dicalcium phosphate dibasic/tetracalcium phosphate monoxide cement paste. *Biomaterials*. 1997 Apr;18(7):539-43.

[Kurashina K, Kurita H, Kotani A, Takeuchi H, Hirano M](#). In vivo study of a calcium phosphate cement consisting of alpha-tricalcium phosphate/dicalcium phosphate dibasic/tetracalcium phosphate monoxide. *Biomaterials*. 1997 Jan;18(2):147-51.

[Kurashina K, Kurita H, Kotani A, Kobayashi S, Kyoshima K, Hirano M](#). Experimental cranioplasty and skeletal augmentation using an alpha-tricalcium phosphate/dicalcium phosphate dibasic/tetracalcium phosphate monoxide cement: a preliminary short-term experiment in rabbits. *Biomaterials*. 1998 Apr-May;19(7-9):701-6.

[Leroux L, Hatim Z, Freche M, Lacout JL](#). Effects of various adjuvants (lactic acid, glycerol, and chitosan) on the injectability of a calcium phosphate cement. *Bone*. 1999 Aug;25(2 Suppl):31S-34S.

[Li P, Bakker D, van Blitterswijk CA](#). The bone-bonding polymer Polyactive 80/20 induces hydroxycarbonate apatite formation in vitro. *J Biomed Mater Res*. 1997 Jan;34(1):79-86.

[Lind M, Overgaard S, Ongpipattanakul B, Nguyen T, Bunger C, Soballe K](#). Transforming growth factor-beta 1 stimulates bone ongrowth to weight-loaded tricalcium phosphate coated implants: an experimental study in dogs. *J Bone Joint Surg Br*. 1996 May;78(3):377-82.

[Liu C, Wang W, Shen W, Chen T, Hu L, Chen Z](#). Evaluation of the biocompatibility of a nonceramic hydroxyapatite. *J Endod*. 1997 Aug;23(8):490-3.

[Liu C, Shen W, Gu Y, Hu L](#). Mechanism of the hardening process for a hydroxyapatite cement. *J Biomed Mater Res*. 1997 Apr;35(1):75-80.

[Lu J, Descamps M, Dejou J, Koubi G, Hardouin P, Lemaitre J, Proust JP](#). The biodegradation mechanism of calcium phosphate biomaterials in bone. *J Biomed Mater Res*. 2002;63(4):408-12.

[Lu JX, About I, Stephan G, Van Landuyt P, Dejou J, Fiocchi M, Lemaitre J, Proust JP](#). Histological and biomechanical studies of two bone colonizable cements in rabbits. *Bone*. 1999 Aug;25(2 Suppl):41S-45S.

[Mirtchi AA, Lemaitre J, Munting E](#). Calcium phosphate cements: effect of fluorides on the setting and hardening of beta-tricalcium phosphate-dicalcium phosphate-calcite cements. *Biomaterials*. 1991 Jul;12(5):505-10.

[Mirtchi AA, Lemaitre J, Munting E](#). Calcium phosphate cements: action of setting regulators on the properties of the beta-tricalcium phosphate-monocalcium phosphate cements. *Biomaterials*. 1989 Nov;10(9):634-8.

[Mirtchi AA, Lemaitre J, Terao N](#). Calcium phosphate cements: study of the beta-tricalcium phosphate--monocalcium phosphate system. *Biomaterials*. 1989 Sep;10(7):475-80.

- [Miyamoto Y, Ishikawa K, Takechi M, Toh T, Yuasa T, Nagayama M, Suzuki K.](#) Basic properties of calcium phosphate cement containing atelocollagen in its liquid or powder phases. *Biomaterials*. 1998 Apr-May;19(7-9):707-15.
- [Miyamoto Y, Ishikawa K, Fukao H, Sawada M, Nagayama M, Kon M, Asaoka K.](#) In vivo setting behaviour of fast-setting calcium phosphate cement. *Biomaterials*. 1995 Jul;16(11):855-60.
- [Miyamoto Y, Ishikawa K, Takechi M, Toh T, Yoshida Y, Nagayama M, Kon M, Asaoka K.](#) Tissue response to fast-setting calcium phosphate cement in bone. *J Biomed Mater Res*. 1997 Dec 15;37(4):457-64.
- [Miyamoto Y, Ishikawa K, Takechi M, Toh T, Yuasa T, Nagayama M, Suzuki K.](#) Histological and compositional evaluations of three types of calcium phosphate cements when implanted in subcutaneous tissue immediately after mixing. *J Biomed Mater Res*. 1999 Spring;48(1):36-42.
- [Nilsson M, Fernandez E, Sarda S, Lidgren L, Planell JA.](#) Characterization of a novel calcium phosphate/sulphate bone cement. *J Biomed Mater Res*. 2002 Sep 15;61(4):600-7.
- [Okada Y, Kobayashi M, Fujita H, Katsura Y, Matsuoka H, Takadama H, Kokubo T, Nakamura T.](#) Transmission electron microscopic study of interface between bioactive bone cement and bone: comparison of apatite and wollastonite containing glass-ceramic filler with hydroxyapatite and beta-tricalcium phosphate fillers. *J Biomed Mater Res*. 1999 Jun 15;45(4):277-84.
- [Ongpipattanakul B, Nguyen T, Zioncheck TF, Wong R, Osaka G, DeGuzman L, Lee WP, Beck LS.](#) Development of tricalcium phosphate/amylopectin paste combined with recombinant human transforming growth factor beta 1 as a bone defect filler. *J Biomed Mater Res*. 1997 Sep 5;36(3):295-305.
- [Ooms EM, Wolke JG, van der Waerden JP, Jansen JA.](#) Trabecular bone response to injectable calcium phosphate (Ca-P) cement. *J Biomed Mater Res*. 2002 Jul;61(1):9-18.
- [Oreffo RO, Driessens FC, Planell JA, Triffitt JT.](#) Growth and differentiation of human bone marrow osteoprogenitors on novel calcium phosphate cements. *Biomaterials*. 1998 Oct;19(20):1845-54.
- [Oreffo RO, Driessens FC, Planell JA, Triffitt JT.](#) Effects of novel calcium phosphate cements on human bone marrow fibroblastic cells. *Tissue Eng*. 1998 Fall;4(3):293-303.
- [Otsuka M, Matsuda Y, Suwa Y, Fox JL, Higuchi WI.](#) Effect of particle size of metastable calcium phosphates on mechanical strength of a novel self-setting bioactive calcium phosphate cement. *J Biomed Mater Res*. 1995 Jan;29(1):25-32.
- [Otsuka M, Matsuda Y, Suwa Y, Fox JL, Higuchi WI.](#) Particle size effect of metastable calcium phosphates on crushing strength of self-setting bioactive calcium phosphate cement. *Chem Pharm Bull (Tokyo)*. 1993 Nov;41(11):2055-7.
- [Pasquier G, Lemaitre J, Flautre B, Ikenaga M, Hardouin P.](#) [Development of a model which makes it possible to test injectable bone substitutes and evaluation of a calcium phosphate cement]. *Bull Acad Natl Med*. 1998;182(9):1851-64; discussion 1865. French.
- [Penel G, Leroy N, Van Landuyt P, Flautre B, Hardouin P, Lemaitre J, Leroy G.](#) Raman microspectrometry studies of brushite cement: in vivo evolution in a sheep model. *Bone*. 1999 Aug;25(2 Suppl):81S-84S.
- [Peter SJ, Kim P, Yasko AW, Yaszemski MJ, Mikos AG.](#) Crosslinking characteristics of an injectable poly(propylene fumarate)/beta-tricalcium phosphate paste and mechanical properties of the crosslinked composite for use as a biodegradable bone cement. *J Biomed Mater Res*. 1999 Mar 5;44(3):314-21.
- [Pioletti DP, Takei H, Lin T, Van Landuyt P, Ma QJ, Kwon SY, Sung KL.](#) The effects of calcium phosphate cement particles on osteoblast functions. *Biomaterials*. 2000 Jun;21(11):1103-14.

- [Posset U, Locklin E, Thull R, Kiefer W](#). Vibrational spectroscopic study of tetracalcium phosphate in pure polycrystalline form and as a constituent of a self-setting bone cement. *J Biomed Mater Res*. 1998 Jun 15;40(4):640-5.
- [Ratier A, Gibson IR, Best SM, Freche M, Lacout JL, Rodriguez F](#). Setting characteristics and mechanical behaviour of a calcium phosphate bone cement containing tetracycline. *Biomaterials*. 2001 May;22(9):897-901.
- [Sarkar MR, Wachter N, Patka P, Kinzl L](#). First histological observations on the incorporation of a novel calcium phosphate bone substitute material in human cancellous bone. *J Biomed Mater Res*. 2001 May 1;58(3):329-34.
- [Sasaki S, Ishii Y](#). Apatite cement containing antibiotics: efficacy in treating experimental osteomyelitis. *J Orthop Sci*. 1999;4(5):361-9.
- [Simon CG Jr, Khatri CA, Wight SA, Wang FW](#). Preliminary report on the biocompatibility of a moldable, resorbable, composite bone graft consisting of calcium phosphate cement and poly(lactide-co-glycolide) microspheres. *J Orthop Res*. 2002 May;20(3):473-82.
- [Tahara Y, Ishii Y](#). Apatite cement containing cis-diamminedichloroplatinum implanted in rabbit femur for sustained release of the anticancer drug and bone formation. *J Orthop Sci*. 2001;6(6):556-65.
- [Takagi S, Chow LC, Markovic M, Friedman CD, Costantino PD](#). Morphological and phase characterizations of retrieved calcium phosphate cement implants. *J Biomed Mater Res*. 2001;58(1):36-41.
- [Takagi S, Chow LC, Ishikawa K](#). Formation of hydroxyapatite in new calcium phosphate cements. *Biomaterials*. 1998 Sep;19(17):1593-9.
- [Takechi M, Miyamoto Y, Ishikawa K, Toh T, Yuasa T, Nagayama M, Suzuki K](#). Initial histological evaluation of anti-washout type fast-setting calcium phosphate cement following subcutaneous implantation. *Biomaterials*. 1998 Nov;19(22):2057-63.
- [Tanaka A, Ishii Y](#). Mechanical properties of the femur after injection of calcium phosphate cement containing arbekacin sulfate and polylactic acid in a rat model of experimental osteoporosis. *J Orthop Sci*. 2002;7(3):370-8.
- [Van Landuyt P, Peter B, Beluze L, Lemaitre J](#). Reinforcement of osteosynthesis screws with brushite cement. *Bone*. 1999 Aug;25(2 Suppl):95S-98S.
- [Vuillemin T, Raveh J, Stich H, Cottier H](#). Fixation of bone fragments with BIOCEM. First observations on humans. *Arch Otolaryngol Head Neck Surg*. 1987 Aug;113(8):836-40.
- [Wachtel HC](#). [Treatment of furcation involvement--implantation of alloplastic materials]. *Dtsch Zahnarztl Z*. 1991 Jun;46(6):394-9. German.
- [Wang X, Ma J, Wang Y, He B](#). Structural characterization of phosphorylated chitosan and their applications as effective additives of calcium phosphate cements. *Biomaterials*. 2001 Aug;22(16):2247-55.
- [Wang W, Chen Z, Chen T](#). [Latest progress in studies of self-setting calcium phosphate cement]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*. 2000 Mar;17(1):80-3. Review. Chinese.
- [Weiss P, Bohic S, Lapkowski M, Daculsi G](#). Application of FT-IR microspectroscopy to the study of an injectable composite for bone and dental surgery. *J Biomed Mater Res*. 1998 Jul;41(1):167-70.
- [Xu HH, Quinn JB](#). Calcium phosphate cement containing resorbable fibers for short-term reinforcement and macroporosity. *Biomaterials*. 2002 Jan;23(1):193-202.
- [Xu HH, Quinn JB, Takagi S, Chow LC, Eichmiller FC](#). Strong and macroporous calcium phosphate cement: Effects of porosity and fiber reinforcement on mechanical properties. *J Biomed Mater Res*. 2001 Dec 5;57(3):457-66.
- [Xu HH, Eichmiller FC, Giuseppetti AA](#). Reinforcement of a self-setting calcium phosphate cement with different fibers. *J Biomed Mater Res*. 2000 Oct;52(1):107-14.

- [Yamamoto H, Niwa S, Hori M, Hattori T, Sawai K, Aoki S, Hirano M, Takeuchi H.](#) Mechanical strength of calcium phosphate cement in vivo and in vitro. *Biomaterials*. 1998 Sep;19(17):1587-91.
- [Yang JM, Li HM, Yang MC, Shih CH.](#) Characterization of acrylic bone cement using dynamic mechanical analysis. *J Biomed Mater Res*. 1999 Spring;48(1):52-60.
- [Yuan H, Li Y, de Bruijn JD, de Groot K, Zhang X.](#) Tissue responses of calcium phosphate cement: a study in dogs. *Biomaterials*. 2000 Jun;21(12):1283-90.
- [Yoshimine Y, Akamine A, Mukai M, Maeda K, Matsukura M, Kimura Y, Makishima T.](#) Biocompatibility of tetracalcium phosphate cement when used as a bone substitute. *Biomaterials*. 1993 May;14(6):403-6.
- [Zhang J, Li B, Chen Q, Sun C.](#) [The effect of adding cefobid upon the physiochemical properties of calcium phosphate cement]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi*. 2000 Dec;17(4):400-2. Chinese.
- [Zoulgami M, Lucas A, Briard P, Gaude J.](#) A self-setting single-component calcium phosphate cement. *Biomaterials*. 2001 Jul;22(13):1933-7.

DISTAL RADIUS FRACTURES

- [Aspenberg P, Kopylov P.](#) Hydroxyapatite spacer for open reduction of Colles' fracture. Case report. *Scand J Plast Reconstr Surg Hand Surg*. 1994 Jun;28(2):157-9.
- [Cohen MS, Whitman K.](#) Calcium phosphate bone cement--the Norian skeletal repair system in orthopedic surgery. *AORN J*. 1997 May;65(5):958-62. No abstract available.
- [Hidaka N, Yamano Y, Kadoya Y, Nishimura N.](#) Calcium phosphate bone cement for treatment of distal radius fractures: a preliminary report. *J Orthop Sci*. 2002;7(2):182-7.
- [Higgins TF, Dodds SD, Wolfe SW.](#) A biomechanical analysis of fixation of intra-articular distal radial fractures with calcium-phosphate bone cement. *J Bone Joint Surg Am*. 2002 Sep;84-A(9):1579-86.
- [Jupiter JB, Winters S, Sigman S, Lowe C, Pappas C, Ladd AL, Van Wagoner M, Smith ST.](#) Repair of five distal radius fractures with an investigational cancellous bone cement: a preliminary report. *J Orthop Trauma*. 1997 Feb-Mar;11(2):110-6.
- [Kopylov P, Tagil M, Aspenberg P.](#) Delayed surgery does not reduce the interface strength between the surface of a bone fracture and a self-curing injectable hydroxyapatite (Norian SRS). *Scand J Plast Reconstr Surg Hand Surg*. 2001 Jun;35(2):129-33.
- [Kopylov P, Runngqvist K, Jonsson K, Aspenberg P.](#) Norian SRS versus external fixation in redisplaced distal radial fractures. A randomized study in 40 patients. *Acta Orthop Scand*. 1999 Feb;70(1):1-5.
- [Kopylov P, Jonsson K, Thorngren KG, Aspenberg P.](#) Injectable calcium phosphate in the treatment of distal radial fractures. *J Hand Surg [Br]*. 1996 Dec;21(6):768-71.
- [Kopylov P, Aspenberg P, Yuan X, Ryd L.](#) Radiostereometric analysis of distal radial fracture displacement during treatment: a randomized study comparing Norian SRS and external fixation in 23 patients. *Acta Orthop Scand*. 2001 Feb;72(1):57-61.
- [Ladd AL, Pliam NB.](#) The role of bone graft and alternatives in unstable distal radius fracture treatment. *Orthop Clin North Am*. 2001 Apr;32(2):337-51, ix. Review.
- [Ladd AL, Pliam NB.](#) Use of bone-graft substitutes in distal radius fractures. *J Am Acad Orthop Surg*. 1999 Sep-Oct;7(5):279-90. Review.
- [Sanchez-Sotelo J, Munuera L, Madero R.](#) Treatment of fractures of the distal radius with a remodellable bone cement: a prospective, randomised study using Norian SRS. *J Bone Joint Surg Br*. 2000 Aug;82(6):856-63.

[Stohr E, Holz U.](#) [Metaphyseal comminuted fracture. A therapeutic challenge] Orthopade. 2000 Apr;29(4):342-52. German.

[Tyllianakis M, Giannikas D, Panagopoulos A, Panagiotopoulos E, Lambiris E.](#) Use of injectable calcium phosphate in the treatment of intra-articular distal radius fractures. Orthopedics. 2002 Mar;25(3):311-5.

[Yetkinler DN, Ladd AL, Poser RD, Constantz BR, Carter D.](#) Biomechanical evaluation of fixation of intra-articular fractures of the distal part of the radius in cadavera: Kirschner wires compared with calcium-phosphate bone cement. J Bone Joint Surg Am. 1999 Mar;81(3):391-9.

TIBIAL PLATEAU FRACTURES

[Cassard X, Beaufils P, Blin JL, Hardy P.](#) [Osteosynthesis under arthroscopic control of separated tibial plateau fractures. 26 case reports]. Rev Chir Orthop Reparatrice Appar Mot. 1999 Jun;85(3):257-66. French.

[Yetkinler DN, McClellan RT, Reindel ES, Carter D, Poser RD.](#) Biomechanical comparison of conventional open reduction and internal fixation versus calcium phosphate cement fixation of a central depressed tibial plateau fracture. J Orthop Trauma. 2001 Mar-Apr;15(3):197-206.

[Larsson S, Bauer TW.](#) Use of injectable calcium phosphate cement for fracture fixation: a review. Clin Orthop. 2002 Feb;(395):23-32. Review.

[Lobenhoffer P, Gerich T, Witte F, Tscherne H.](#) Use of an injectable calcium phosphate bone cement in the treatment of tibial plateau fractures: a prospective study of twenty-six cases with twenty-month mean follow-up. J Orthop Trauma. 2002 Mar;16(3):143-9.

[Lobenhoffer P, Oestern HJ.](#) [The potentials of minimally invasive surgical measures in the knee joint]. Chirurg. 1997 Nov;68(11):1093-105. Review. German.

[Lobenhoffer P.](#) [Minimally invasive knee joint surgery]. Zentralbl Chir. 1997;122(11):974-85. Review. German.

PROXIMAL FEMUR FRACTURES

[Augat P, Rapp S, Claes L.](#) A modified hip screw incorporating injected cement for the fixation of osteoporotic trochanteric fractures. J Orthop Trauma. 2002 May;16(5):311-6.

[Cheng CL, Chow SP, Pun WK, Leong JC.](#) Long-term results and complications of cement augmentation in the treatment of unstable trochanteric fractures. Injury. 1989 May;20(3):134-8.

[Choueka J, Koval KJ, Kummer FJ, Zukerman JD.](#) Cement augmentation of intertrochanteric fracture fixation: a cadaver comparison of 2 techniques. Acta Orthop Scand. 1996 Apr;67(2):153-7.

[Choueka J, Koval KJ, Kummer FJ, Crawford G, Zuckerman JD.](#) Biomechanical comparison of the sliding hip screw and the dome plunger. Effects of material and fixation design. J Bone Joint Surg Br. 1995 Mar;77(2):277-83.

[Claes L, Becker C, Simnacher M, Hoellen I.](#) [Improvement in the primary stability of the dynamic hip screw osteosynthesis in unstable, pertrochanteric femoral fractures of osteoporotic bones by a new glass ionomer cement]. Unfallchirurg. 1995 Mar;98(3):118-23. German.

[Elder S, Frankenburg E, Goulet J, Yetkinler D, Poser R, Goldstein S.](#) Biomechanical evaluation of calcium phosphate cement-augmented fixation of unstable intertrochanteric fractures. J Orthop Trauma. 2000 Aug;14(6):386-93.

[Eriksson F, Mattsson P, Larsson S](#). The effect of augmentation with resorbable or conventional bone cement on the holding strength for femoral neck fracture devices. *J Orthop Trauma*. 2002 May;16(5):302-10.

[Goodman SB, Bauer TW, Carter D, Casteleyn PP, Goldstein SA, Kyle RF, Larsson S, Stankewich CJ, Swiontkowski MF, Tencer AF, Yetkinler DN, Poser RD](#). Norian SRS cement augmentation in hip fracture treatment. Laboratory and initial clinical results. *Clin Orthop*. 1998 Mar;(348):42-50.

[Hernefalk L, Messner K](#). Femoral stiffness after osteosynthesis of a subcapital osteotomy in osteoporotic bone: an in-vitro comparison of nine fixation methods. *J Orthop Trauma*. 1995;9(6):464-9.

[Ker NB, Maempel FZ, Paton DF](#). Bone cement as an adjunct to medullary nailing in fractures of the distal third of the femur in elderly patients. *Injury*. 1984 Sep;16(2):102-7.

[Kramer A, Angst M, Gasser B, Ganz R](#). [Increasing bone screw anchoring in the femur head by cement administration via the implant—a biomechanical study] *Z Orthop Ihre Grenzgeb*. 2000 Sep-Oct;138(5):464-9. German.

[Kwon BK, Goertzen DJ, O'Brien PJ, Broekhuysse HM, Oxland TR](#). Biomechanical evaluation of proximal humeral fracture fixation supplemented with calcium phosphate cement. *J Bone Joint Surg Am*. 2002 Jun;84-A(6):951-61.

[Larsson S, Mattsson P, Bauer TW](#). Resorbable bone cement for augmentation of internally fixed hip fractures. *Ann Chir Gynaecol*. 1999;88(3):205-13. No abstract available.

[Lau HK, Lee PC, Tang SC, Lim JK, Chow SP](#). Treatment of comminuted trochanteric femoral fractures with Dimon Hughston displacement fixation and acrylic cement—a preliminary report of sixteen cases. *Injury*. 1983 Sep;15(2):129-35.

[Ledermann M](#). [Application of bone-cement in fractures on the femur] *Schweiz Rundsch Med Prax*. 1978 Mar 14;67(11):374-7. German. No abstract available.

[Miller GJ, Vander Griend RA, Blake WP, Springfield DS](#). Performance evaluation of a cement-augmented intramedullary fixation system for pathologic lesions of the femoral shaft. *Clin Orthop*. 1987 Aug;(221):246-54.

[Moore DC, Frankenburg EP, Goulet JA, Goldstein SA](#). Hip screw augmentation with an in situ-setting calcium phosphate cement: an in vitro biomechanical analysis. *J Orthop Trauma*. 1997 Nov;11(8):577-83.

[Schandelmaier P, Partenheimer A, Koenemann B, Grun OA, Krettek C](#). Distal femoral fractures and LISS stabilization. *Injury*. 2001 Dec;32 Suppl 3:SC55-63. Review.

[Schatzker J, Ha'eri GB, Chapman M](#). Methylmethacrylate as an adjunct in the internal fixation of intertrochanteric fractures of the femur. *J Trauma*. 1978 Oct;18(10):732-5.

[Stankewich CJ, Swiontkowski MF, Tencer AF, Yetkinler DN, Poser RD](#). Augmentation of femoral neck fracture fixation with an injectable calcium-phosphate bone mineral cement. *J Orthop Res*. 1996 Sep;14(5):786-93.

[Stoehr E, Holz U](#). [Metaphyseal comminuted fracture. A therapeutic challenge] *Orthopade*. 2000 Apr;29(4):342-52. German.

[Thanner J](#). The acetabular component in total hip arthroplasty. Evaluation of different fixation principles. *Acta Orthop Scand Suppl*. 1999 Aug;286:1-41.

[Yetkinler DN, Goodman SB, Reindel ES, Carter D, Poser RD, Constantz BR](#). Mechanical evaluation of a carbonated apatite cement in the fixation of unstable intertrochanteric fractures. *Acta Orthop Scand*. 2002 Apr;73(2):157-64.

[Wood ML, McDowell CM, Kerstetter TL, Kelley SS](#). Open reduction and cementation for femoral head fracture secondary to avascular necrosis: preliminary report. *Iowa Orthop J*. 2000;20:17-23.

CALCANEAL FRACTURES

[Csizy M, Buckley RE, Fennell C](#). Benign calcaneal bone cyst and pathologic fracture--surgical treatment with injectable calcium-phosphate bone cement (Norian): a case report. *Foot Ankle Int*. 2001 Jun;22(6):507-10.

[Kendrick RE](#). Tibiocalcaneal stabilization using reinforced acrylic cement as a substitute for the talus. A case report. *J Bone Joint Surg Am*. 1984 Jun;66(5):788-90. No abstract available.

[Kiyoshige Y, Takagi M, Hamasaki M](#). Bone-cement fixation for calcaneus fracture--a report on 2 elderly patients. *Acta Orthop Scand*. 1997 Aug;68(4):408-9. No abstract available.

[Ray AK, Romine JS, Pankovich AM](#). Stabilization of pathologic fractures with acrylic cement. *Clin Orthop*. 1974 Jun;101(01):182-5. No abstract available.

[Schildhauer TA, Bauer TW, Josten C, Muhr G](#). Open reduction and augmentation of internal fixation with an injectable skeletal cement for the treatment of complex calcaneal fractures. *J Orthop Trauma*. 2000 Jun-Jul;14(5):309-17.

[Thordarson DB, Hedman TP, Yetkinler DN, Eskander E, Lawrence TN, Poser RD](#). Superior compressive strength of a calcaneal fracture construct augmented with remodelable cancellous bone cement. *J Bone Joint Surg Am*. 1999 Feb;81(2):239-46.

[Wang WB, Chen ZW, Chen TY](#). [Primary clinical study on self-setting calcium phosphate cement in bone defect repair of extremities]. *Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi*. 2002 Mar;16(2):100-2. Chinese.

VERTEBROPLASTY

[Aebli N, Krebs J, Davis G, Walton M, Williams MJ, Theis JC](#). Fat embolism and acute hypotension during vertebroplasty: an experimental study in sheep. *Spine*. 2002 Mar 1;27(5):460-6.

[Amar AP, Larsen DW, Esnaashari N, Albuquerque FC, Lavine SD, Teitelbaum GP](#). Percutaneous transpedicular polymethylmethacrylate vertebroplasty for the treatment of spinal compression fractures. *Neurosurgery*. 2001 Nov;49(5):1105-14; discussion 1114-5.

[Anderson JE](#). Percutaneous vertebroplasty: a novel treatment for acute vertebral fractures. *Med J Aust*. 2001 Jul 2;175(1):54-5; discussion 55-6. No abstract available.

[Baba Y, Ohkubo K, Hamada K, Hokotate H, Nakajo M](#). [Percutaneous vertebroplasty for osteolytic metastasis: a case report]. *Nippon Igaku Hoshasen Gakkai Zasshi*. 1997 Nov;57(13):880-2. Japanese.

[Bai B, Jazrawi LM, Kummer FJ, Spivak JM](#). The use of an injectable, biodegradable calcium phosphate bone substitute for the prophylactic augmentation of osteoporotic vertebrae and the management of vertebral compression fractures. *Spine*. 1999 Aug 1;24(15):1521-6.

[Barr JD, Barr MS, Lemley TJ, McCann RM](#). Percutaneous vertebroplasty for pain relief and spinal stabilization. *Spine*. 2000 Apr 15;25(8):923-8.

[Belkoff SM, Mathis JM, Jasper LE, Deramond H](#). An ex vivo biomechanical evaluation of a hydroxyapatite cement for use with vertebroplasty. *Spine*. 2001 Jul 15;26(14):1542-6.

[Belkoff SM, Mathis JM, Deramond H, Jasper LE](#). An ex vivo biomechanical evaluation of a hydroxyapatite cement for use with kyphoplasty. *AJNR Am J Neuroradiol*. 2001 Jun-Jul;22(6):1212-6.

[Belkoff SM, Sanders JC, Jasper LE](#). The effect of the monomer-to-powder ratio on the material properties of acrylic bone cement. *J Biomed Mater Res*. 2002;63(4):396-9.

[Belkoff SM, Mathis JM, Fenton DC, Scribner RM, Reiley ME, Talmadge K](#). An ex vivo biomechanical evaluation of an inflatable bone tamp used in the treatment of compression fracture. *Spine*. 2001 Jan 15;26(2):151-6.

[Belkoff SM, Mathis JM, Jasper LE, Deramond H.](#) The biomechanics of vertebroplasty. The effect of cement volume on mechanical behavior. *Spine*. 2001 Jul 15;26(14):1537-41.

[Belkoff SM, Mathis JM, Erbe EM, Fenton DC.](#) Biomechanical evaluation of a new bone cement for use in vertebroplasty. *Spine*. 2000 May 1;25(9):1061-4.

[Belkoff SM, Maroney M, Fenton DC, Mathis JM.](#) An in vitro biomechanical evaluation of bone cements used in percutaneous vertebroplasty. *Bone*. 1999 Aug;25(2 Suppl):23S-26S.

[Berlemann U, Ferguson SJ, Nolte LP, Heini PF.](#) Adjacent vertebral failure after vertebroplasty. A biomechanical investigation. *J Bone Joint Surg Br*. 2002 Jul;84(5):748-52.

[Berlemann U, Heini PF.](#) [Percutaneous cementing techniques in treatment of osteoporotic spinal sintering]. *Unfallchirurg*. 2002 Jan;105(1):2-8. German.

[Bostrom MP, Lane JM.](#) Future directions. Augmentation of osteoporotic vertebral bodies. *Spine*. 1997 Dec 15;22(24 Suppl):38S-42S. Review.

[Cardon T, Hachulla E, Flipo RM, Chastanet P, Rose C, Deprez X, Duquesnoy B, Delcambre B, Devulder B.](#) Percutaneous vertebroplasty with acrylic cement in the treatment of a Langerhans cell vertebral histiocytosis. *Clin Rheumatol*. 1994 Sep;13(3):518-21.

[Campbell DG.](#) Percutaneous vertebroplasty: a novel treatment for acute vertebral fractures. *Med J Aust*. 2001 Jul 2;175(1):55; discussion 55-6. No abstract available.

[Centenera LV, Choi S, Hirsch JA.](#) Percutaneous vertebroplasty treats compression fractures. *Diagn Imaging (San Franc)*. 2000 Nov;22(11):147-8, 153. No abstract available.

[Chen HL, Wong CS, Ho ST, Chang FL, Hsu CH, Wu CT.](#) A lethal pulmonary embolism during percutaneous vertebroplasty. *Anesth Analg*. 2002 Oct;95(4):1060-2, table of contents.

[Chen JF, Lee ST, Lui TN, Wu CT, Liao CC.](#) Percutaneous vertebroplasty for the treatment of osteoporotic vertebral compression fractures: a preliminary report. *Chang Gung Med J*. 2002 May;25(5):306-14.

[Chiras J, Depriester C, Weill A, Sola-Martinez MT, Deramond H.](#) [Percutaneous vertebral surgery. Technics and indications]. *J Neuroradiol*. 1997 Jun;24(1):45-59. French.

[Cloft HJ, Easton DN, Jensen ME, Kallmes DF, Dion JE.](#) Exposure of medical personnel to methylmethacrylate vapor during percutaneous vertebroplasty. *AJNR Am J Neuroradiol*. 1999 Feb;20(2):352-3.

[Cortet B, Cotten A, Boutry N, Dewatre F, Flipo RM, Duquesnoy B, Chastanet P, Delcambre B.](#) Percutaneous vertebroplasty in patients with osteolytic metastases or multiple myeloma. *Rev Rhum Engl Ed*. 1997 Mar;64(3):177-83.

[Cortet B, Cotten A, Boutry N, Flipo RM, Duquesnoy B, Chastanet P, Delcambre B.](#) Percutaneous vertebroplasty in the treatment of osteoporotic vertebral compression fractures: an open prospective study. *J Rheumatol*. 1999 Oct;26(10):2222-8.

[Cotten A, Duquesnoy B.](#) Vertebroplasty: current data and future potential. *Rev Rhum Engl Ed*. 1997 Nov;64(11):645-9. Review. No abstract available.

[Cotten A, Dewatre F, Cortet B, Assaker R, Leblond D, Duquesnoy B, Chastanet P, Clarisse J.](#) Percutaneous vertebroplasty for osteolytic metastases and myeloma: effects of the percentage of lesion filling and the leakage of methyl methacrylate at clinical follow-up. *Radiology*. 1996 Aug;200(2):525-30.

[Cyteval C, Sarrabere MP, Roux JO, Thomas E, Jorgensen C, Blotman F, Sany J, Taourel P.](#) Acute osteoporotic vertebral collapse: open study on percutaneous injection of acrylic surgical cement in 20 patients. *AJR Am J Roentgenol*. 1999 Dec;173(6):1685-90.

[Dean JR, Ison KT, Gishen P.](#) The strengthening effect of percutaneous vertebroplasty. *Clin Radiol*. 2000 Jun;55(6):471-6.

[Deramond H, Depriester C, Galibert P, Le Gars D.](#) Percutaneous vertebroplasty with polymethylmethacrylate. Technique, indications, and results. *Radiol Clin North Am.* 1998 May;36(3):533-46.

[Deramond H, Depriester C, Toussaint P.](#) [Vertebroplasty and percutaneous interventional radiology in bone metastases: techniques, indications, contra-indications]. *Bull Cancer Radiother.* 1996;83(4):277-82. French. No abstract available.

[Deramond H, Wright NT, Belkoff SM.](#) Temperature elevation caused by bone cement polymerization during vertebroplasty. *Bone.* 1999 Aug;25(2 Suppl):17S-21S.

[Diamond TH, Clark WA.](#) Percutaneous vertebroplasty: a novel treatment for acute vertebral fractures. *Med J Aust.* 2001 Apr 16;174(8):398-400.

[Do HM.](#) Intraosseous venography during percutaneous vertebroplasty: is it needed? *AJNR Am J Neuroradiol.* 2002 Apr;23(4):508-9. No abstract available.

[Dousset V, Mousselard H, de Monck d'User L, Bouvet R, Bernard P, Vital JM, Senegas J, Caille JM.](#) Asymptomatic cervical haemangioma treated by percutaneous vertebroplasty. *Neuroradiology.* 1996 May;38(4):392-4.

[Dudney S, Lieberman I.](#) Percutaneous vertebroplasty in the treatment of osteoporotic vertebral compression fractures: an open prospective study. *J Rheumatol.* 2000 Oct;27(10):2526. No abstract available.

[Eck JC, Hodges SD, Humphreys SC.](#) Vertebroplasty: a new treatment strategy for osteoporotic compression fractures. *Am J Orthop.* 2002 Mar;31(3):123-7; discussion 128. Review.

[Einhorn TA.](#) Vertebroplasty: an opportunity to do something really good for patients. *Spine.* 2000 May 1;25(9):1051-2. No abstract available.

[Fessler RG.](#) Vertebroplasty for osteoporotic compression fractures: current practice and evolving techniques. *Neurosurgery.* 2002 Nov;51(5 Suppl):96-103.

[Feydy A, Cognard C, Miaux Y, Sola Martinez MT, Weill A, Rose M, Chiras J.](#) Acrylic vertebroplasty in symptomatic cervical vertebral haemangiomas: report of 2 cases. *Neuroradiology.* 1996 May;38(4):389-91.

[Fisher A.](#) Percutaneous vertebroplasty: a bone cement procedure for spinal pain relief. *Issues Emerg Health Technol.* 2002 May;(31):1-4.

[Flandroy P.](#) [Percutaneous vertebroplasty]. *Rev Med Liege.* 2001 Mar;56(3):144-8. French.

[Gailloud P, Beauchamp NJ, Martin JB, Murphy KJ.](#) Percutaneous pediculoplasty: polymethylmethacrylate injection into lytic vertebral pedicle lesions. *J Vasc Interv Radiol.* 2002 May;13(5):517-21.

[Garfin SR, Yuan HA, Reiley MA.](#) New technologies in spine: kyphoplasty and vertebroplasty for the treatment of painful osteoporotic compression fractures. *Spine.* 2001 Jul 15;26(14):1511-5.

[Gaughen JR Jr, Jensen ME, Schweickert PA, Kaufmann TJ, Marx WF, Kallmes DF.](#) Relevance of antecedent venography in percutaneous vertebroplasty for the treatment of osteoporotic compression fractures. *AJNR Am J Neuroradiol.* 2002 Apr;23(4):594-600.

[Gepstein R, David R.](#) [Vertebroplasty: percutaneous augmentation of vertebrae]. *Harefuah.* 2002 Sep;141(9):792-4, 858. Hebrew.

[Goltra DD Jr.](#) Vertebroplasty for osteoporotic compression fracture: effective treatment for a neglected disease. *AJNR Am J Neuroradiol.* 2001 Mar;22(3):594-5. No abstract available.

[Grados F, Depriester C, Cayrolle G, Hardy N, Deramond H, Fardellone P.](#) Long-term observations of vertebral osteoporotic fractures treated by percutaneous vertebroplasty. *Rheumatology (Oxford).* 2000 Dec;39(12):1410-4.

[Hardouin P.](#) Vertebroplasty: don't squander the cement! Rev Rhum Engl Ed. 1999 Mar;66(3):125-6. No abstract available.

[Hardouin P, Grados F, Cotten A, Cortet B.](#) Should percutaneous vertebroplasty be used to treat osteoporotic fractures? An update. Joint Bone Spine. 2001 May;68(3):216-21. Review.

[Harrington KD.](#) Major neurological complications following percutaneous vertebroplasty with polymethylmethacrylate : a case report. J Bone Joint Surg Am. 2001 Jul;83-A(7):1070-3. No abstract available.

[Heini PF, Dain Allred C.](#) The use of a side-opening injection cannula in vertebroplasty: a technical note. Spine. 2002 Jan 1;27(1):105-9.

[Heini PF, Berlemann U.](#) Bone substitutes in vertebroplasty. Eur Spine J. 2001 Oct;10 Suppl 2:S205-13. Review.

[Heini PF, Berlemann U, Kaufmann M, Lippuner K, Fankhauser C, van Landuyt P.](#) Augmentation of mechanical properties in osteoporotic vertebral bones--a biomechanical investigation of vertebroplasty efficacy with different bone cements. Eur Spine J. 2001 Apr;10(2):164-71.

[Heini PF, Walchli B, Berlemann U.](#) Percutaneous transpedicular vertebroplasty with PMMA: operative technique and early results. A prospective study for the treatment of osteoporotic compression fractures. Eur Spine J. 2000 Oct;9(5):445-50.

[Hierholzer J, Depriester C, Fuchs H, Venz S, Maier-Hauff K, Schulz R, Koch K.](#) [Percutaneous vertebroplasty]. Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr. 2002 Mar;174(3):328-34. German.

[Hitchon PW, Goel V, Drake J, Taggard D, Brenton M, Rogge T, Torner JC.](#) Comparison of the biomechanics of hydroxyapatite and polymethylmethacrylate vertebroplasty in a cadaveric spinal compression fracture model. J Neurosurg. 2001 Oct;95(2 Suppl):215-20.

[Ide C, Gangi A, Rimmelin A, Beaujeux R, Maitrot D, Buchheit F, Sellal F, Diemann JL.](#) Vertebral haemangiomas with spinal cord compression: the place of preoperative percutaneous vertebroplasty with methyl methacrylate. Neuroradiology. 1996 Aug;38(6):585-9.

[Jasper LE, Deramond H, Mathis JM, Belkoff SM.](#) The effect of monomer-to-powder ratio on the material properties of cranioplastic. Bone. 1999 Aug;25(2 Suppl):27S-29S.

[Jensen ME, Kallmes DE.](#) Percutaneous vertebroplasty in the treatment of malignant spine disease. Cancer J. 2002 Mar-Apr;8(2):194-206.

[Jensen ME, Evans AJ, Mathis JM, Kallmes DF, Cloft HJ, Dion JE.](#) Percutaneous polymethylmethacrylate vertebroplasty in the treatment of osteoporotic vertebral body compression fractures: technical aspects. AJNR Am J Neuroradiol. 1997 Nov-Dec;18(10):1897-904.

[Kaemmerlen P, Thiesse P, Bouvard H, Biron P, Mornex F, Jonas P.](#) [Percutaneous vertebroplasty in the treatment of metastases. Technique and results]. J Radiol. 1989 Oct;70(10):557-62. French.

[Kaufmann TJ, Jensen ME, Ford G, Gill LL, Marx WF, Kallmes DF.](#) Cardiovascular effects of polymethylmethacrylate use in percutaneous vertebroplasty. AJNR Am J Neuroradiol. 2002 Apr;23(4):601-4.

[Kaufmann TJ, Jensen ME, Schweickert PA, Marx WF, Kallmes DF.](#) Age of fracture and clinical outcomes of percutaneous vertebroplasty. AJNR Am J Neuroradiol. 2001 Nov-Dec;22(10):1860-3.

[Kim AK, Jensen ME, Dion JE, Schweickert PA, Kaufmann TJ, Kallmes DF.](#) Unilateral transpedicular percutaneous vertebroplasty: initial experience. Radiology. 2002 Mar;222(3):737-41.

[Levine SA, Perin LA, Hayes D, Hayes WS.](#) An evidence-based evaluation of percutaneous vertebroplasty. Manag Care. 2000 Mar;9(3):56-60, 63.

[Lewiecki EM.](#) Vertebroplasty and kyphoplasty in 2001. J Clin Densitom. 2001 Fall;4(3):185-7. No abstract available.

[Liebschner MA, Rosenberg WS, Keaveny TM.](#) Initial outcome and efficacy of "kyphoplasty" in the treatment of painful osteoporotic vertebral compression fractures. *Spine*. 2001 Jul 15;26(14):1631-8.

[Liebschner MA, Rosenberg WS, Keaveny TM.](#) Effects of bone cement volume and distribution on vertebral stiffness after vertebroplasty. *Spine*. 2001 Jul 15;26(14):1547-54.

[Lim TH, Brebach GT, Renner SM, Kim WJ, Kim JG, Lee RE, Andersson GB, An HS.](#) Biomechanical evaluation of an injectable calcium phosphate cement for vertebroplasty. *Spine*. 2002 Jun 15;27(12):1297-302.

[Linville DA 2nd.](#) Vertebroplasty and kyphoplasty. *South Med J*. 2002 Jun;95(6):583-7. Review. No abstract available.

[Lotz JC, Hu SS, Chiu DF, Yu M, Colliou O, Poser RD.](#) Carbonated apatite cement augmentation of pedicle screw fixation in the lumbar spine. *Spine*. 1997 Dec 1;22(23):2716-23.

[Martin JB, Jean B, Sugiu K, San Millan Ruiz D, Plotin M, Murphy K, Rufenacht B, Muster M, Rufenacht DA.](#) Vertebroplasty: clinical experience and follow-up results. *Bone*. 1999 Aug;25(2 Suppl):11S-15S.

[Mathis JM, Petri M, Naff N.](#) Percutaneous vertebroplasty treatment of steroid-induced osteoporotic compression fractures. *Arthritis Rheum*. 1998 Jan;41(1):171-5.

[McAllister A, Spencer RP, Yannopoulos AD.](#) Bone densitometry study in a patient with prior kyphoplasty variant of vertebroplasty. *Clin Nucl Med*. 2002 May;27(5):365-6. No abstract available.

[McGraw JK, Heatwole EV, Strnad BT, Silber JS, Patzilk SB, Boorstein JM.](#) Predictive value of intraosseous venography before percutaneous vertebroplasty. *J Vasc Interv Radiol*. 2002 Feb;13(2 Pt 1):149-53.

[McGraw JK, Strnad BT, Patzik SB, Silber JS, LaValley AL, Boorstein JM.](#) Carbon dioxide and gadopentetate dimeglumine venography to guide percutaneous vertebroplasty. *Cardiovasc Intervent Radiol*. 2000 Nov-Dec;23(6):485-7.

[Mermelstein LE, McLain RF, Yerby SA.](#) Reinforcement of thoracolumbar burst fractures with calcium phosphate cement. A biomechanical study. *Spine*. 1998 Mar 15;23(6):664-70; discussion 670-1.

[Moore DC, Maitra RS, Farjo LA, Graziano GP, Goldstein SA.](#) Restoration of pedicle screw fixation with an in situ setting calcium phosphate cement. *Spine*. 1997 Aug 1;22(15):1696-705.

[Murphy KJ, Lin DD.](#) Vertebroplasty: a simple solution to a difficult problem. *J Clin Densitom*. 2001 Fall;4(3):189-97.

[Nasca RJ, Lemons JE, Deinlein DA.](#) Synthetic biomaterials for spinal fusion. *Orthopedics*. 1989 Apr;12(4):543-8.

[O'Brien JP, Sims JT, Evans AJ.](#) Vertebroplasty in patients with severe vertebral compression fractures: a technical report. *AJNR Am J Neuroradiol*. 2000 Sep;21(8):1555-8.

[Padovani B, Kasriel O, Brunner P, Peretti-Viton P.](#) Pulmonary embolism caused by acrylic cement: a rare complication of percutaneous vertebroplasty. *AJNR Am J Neuroradiol*. 1999 Mar;20(3):375-7.

[Peer A, Robinson D, Mirovski Y.](#) [Vertebroplasty as a treatment for painful pathological fractures of the vertebral column]. *Harefuah*. 2002 Sep;141(9):780-2, 859. Hebrew.

[Peh WC, Gilula LA, Zeller D.](#) Percutaneous vertebroplasty: a new technique for treatment of painful compression fractures. *Mo Med*. 2001 Mar;98(3):97-102.

[Predey TA, Sewall LE, Smith SJ.](#) Percutaneous vertebroplasty: new treatment for vertebral compression fractures. *Am Fam Physician*. 2002 Aug 15;66(4):611-5. Review.

[Rami PM, McGraw JK, Heatwole EV, Boorstein JM.](#) Percutaneous vertebroplasty in the treatment of vertebral body compression fracture secondary to osteogenesis imperfecta. *Skeletal Radiol*. 2002 Mar;31(3):162-5.

[Ratliff J, Nguyen T, Heiss J.](#) Root and spinal cord compression from methylmethacrylate vertebroplasty. *Spine*. 2001 Jul 1;26(13):E300-2.

[Robb-Nicholson C.](#) By the way, doctor. I'm interested in having vertebroplasty, the treatment for vertebral fractures mentioned in your august issue. When I called Medicare to see if the procedure is covered, I was told "Only if the FDA has approved it." but when I checked with the FDA, I found that no one had applied for approval. Why is this? Is there some way to get vertebroplasty? *Harv Womens Health Watch*. 1999 Dec;7(4):8. No abstract available.

[Rodriguez-Catarino M.](#) [Percutaneous vertebroplasty--a new method for alleviation of back pain]. *Lakartidningen*. 2002 Feb 28;99(9):882-90. Swedish.

[Ryu KS, Park CK, Kim MC, Kang JK.](#) Dose-dependent epidural leakage of polymethylmethacrylate after percutaneous vertebroplasty in patients with osteoporotic vertebral compression fractures. *J Neurosurg*. 2002 Jan;96(1 Suppl):56-61.

[San Millan Ruiz D, Burkhardt K, Jean B, Muster M, Martin JB, Bouvier J, Fasel JH, Rufenacht DA, Kurt AM.](#) Pathology findings with acrylic implants. *Bone*. 1999 Aug;25(2 Suppl):85S-90S.

[Sarzier JS, Evans AJ, Cahill DW.](#) Increased pedicle screw pullout strength with vertebroplasty augmentation in osteoporotic spines. *J Neurosurg*. 2002 Apr;96(3 Suppl):309-12.

[Schallen EH, Gilula LA.](#) Vertebroplasty: reusable flange converter with hub lock for injection of polymethylmethacrylate with screw-plunger syringe. *Radiology*. 2002 Mar;222(3):851-5.

[Scroop R, Eskridge J, Britz GW.](#) Paradoxical cerebral arterial embolization of cement during intraoperative vertebroplasty: case report. *AJNR Am J Neuroradiol*. 2002 May;23(5):868-70.

[Spivak JM.](#) Vertebroplasty: weighing the benefits and the risks. *Am Fam Physician*. 2002 Aug 15;66(4):565. No abstract available.

[Szivek JA, Roberto RF, Slack JM, Majeed BS.](#) An implantable strain measurement system designed to detect spine fusion: preliminary results from a biomechanical in vivo study. *Spine*. 2002 Mar 1;27(5):487-97.

[Takemasa R, Yamamoto H.](#) [Bioactive calcium phosphate paste injection for repair of vertebral fracture due to osteoporosis]. *Nippon Rinsho*. 2002 Mar;60 Suppl 3:696-703. Review. Japanese. No abstract available.

[Theodorou DJ, Theodorou SJ, Duncan TD, Garfin SR, Wong WH.](#) Percutaneous balloon kyphoplasty for the correction of spinal deformity in painful vertebral body compression fractures. *Clin Imaging*. 2002 Jan-Feb;26(1):1-5.

[Tohmeh AG, Mathis JM, Fenton DC, Levine AM, Belkoff SM.](#) Biomechanical efficacy of unipedicular versus bipedicular vertebroplasty for the management of osteoporotic compression fractures. *Spine*. 1999 Sep 1;24(17):1772-6.

[Tong FC, Cloft HJ, Joseph GJ, Rodts GR, Dion JE.](#) Transoral approach to cervical vertebroplasty for multiple myeloma. *AJR Am J Roentgenol*. 2000 Nov;175(5):1322-4. No abstract available.

[Tsou IY, Goh PY, Peh WC, Goh LA, Chee TS.](#) Percutaneous vertebroplasty in the management of osteoporotic vertebral compression fractures: initial experience. *Ann Acad Med Singapore*. 2002 Jan;31(1):15-20.

[Vasconcelos C, Gailloud P, Martin JB, Murphy KJ.](#) Transient arterial hypotension induced by polymethylmethacrylate injection during percutaneous vertebroplasty. *J Vasc Interv Radiol*. 2001 Aug;12(8):1001-2. No abstract available.

[Vasconcelos C, Gailloud P, Beauchamp NJ, Heck DV, Murphy KJ.](#) Is percutaneous vertebroplasty without pretreatment venography safe? Evaluation of 205 consecutive procedures. *AJNR Am J Neuroradiol*. 2002 Jun-Jul;23(6):913-7.

[Verlaan JJ, van Helden WH, Oner FC, Verbout AJ, Dhert WJ](#). Balloon vertebroplasty with calcium phosphate cement augmentation for direct restoration of traumatic thoracolumbar vertebral fractures. *Spine*. 2002 Mar 1;27(5):543-8.

[Walchli B, Min K, Hodler J, Boos N](#). [Percutaneous transpedicular vertebroplasty for treatment of osteoporosis-induced vertebral fractures]. *Schweiz Rundsch Med Prax*. 2002 Feb 6;91(6):223-8. German.

[Watts NB, Harris ST, Genant HK](#). Treatment of painful osteoporotic vertebral fractures with percutaneous vertebroplasty or kyphoplasty. *Osteoporos Int*. 2001;12(6):429-37. Review.

[Weill A, Chiras J, Simon JM, Rose M, Sola-Martinez T, Enkaoua E](#). Spinal metastases: indications for and results of percutaneous injection of acrylic surgical cement. *Radiology*. 1996 Apr;199(1):241-7.

[Wenger M, Markwalder TM](#). Re: Percutaneous vertebroplasty for pain relief and spinal stabilization (*Spine* 2000; 25: 923-8). *Spine*. 2000 Nov 15;25(22):2968-9. No abstract available.

[Wenger M, Markwalder TM](#). Surgically controlled, transpedicular methyl methacrylate vertebroplasty with fluoroscopic guidance. *Acta Neurochir (Wien)*. 1999;141(6):625-31.

[Wenger M, Markwalder TM](#). Cement leakage and the need for prophylactic fenestration of the spinal canal during vertebroplasty. *J Bone Joint Surg Am*. 2002 Apr;84-A(4):689; discussion 689-90. No abstract available.

[Westesson PL](#). Vertebroplasty--breakthrough in treatment of back pain. *Cranio*. 2001 Oct;19(4):225. No abstract available.

[Wong W, Mathis J](#). Is intraosseous venography a significant safety measure in performance of vertebroplasty? *J Vasc Interv Radiol*. 2002 Feb;13(2 Pt 1):137-8. No abstract available.

[Yerby SA, Toh E, McLain RF](#). Revision of failed pedicle screws using hydroxyapatite cement. A biomechanical analysis. *Spine*. 1998 Aug 1;23(15):1657-61.

[Zerwekh JE, Kourosch S, Scheinberg R, Kitano T, Edwards ML, Shin D, Selby DK](#). Fibrillar collagen-biphasic calcium phosphate composite as a bone graft substitute for spinal fusion. *J Orthop Res*. 1992 Jul;10(4):562-72.

[Zoarski GH, Snow P, Olan WJ, Stallmeyer MJ, Dick BW, Hebel JR, De Deyne M](#). Percutaneous vertebroplasty for osteoporotic compression fractures: quantitative prospective evaluation of long-term outcomes. *J Vasc Interv Radiol*. 2002 Feb;13(2 Pt 1):139-48.

[\[No authors listed\]](#) Surgery an option for compression fractures. *Clin Resour Manag*. 2001 Oct;2(10):158-9, 145.

[\[No authors listed\]](#) Percutaneous vertebroplasty. *Clin Privil White Pap*. 2000 Jul;(30):1-6. No abstract available.

CRANIOMAXILLOFACIAL APPLICATION

[Baker SB, Weinzweig J, Kirschner RE, Bartlett SP](#). Applications of a new carbonated calcium phosphate bone cement: early experience in pediatric and adult craniofacial reconstruction. *Plast Reconstr Surg*. 2002 May;109(6):1789-96.

[Barone CM, Jimenez DF, Boschert MT, Beckert BW](#). BoneSource solidification: a comparison between water and sodium phosphate as the solvent. *J Craniofac Surg*. 2000 Sep;11(5):495-7; discussion 498-9.

[Bohner M](#). Physical and chemical aspects of calcium phosphates used in spinal surgery. *Eur Spine J*. 2001 Oct;10 Suppl 2:S114-21. Review.

[Clokic CM, Moghadam H, Jackson MT, Sandor GK](#). Closure of critical sized defects with allogenic and alloplastic bone substitutes. *J Craniofac Surg*. 2002 Jan;13(1):111-21; discussion 122-3.

[Costantino PD, Friedman CD, Jones K, Chow LC, Sisson GA](#). Experimental hydroxyapatite cement cranioplasty. *Plast Reconstr Surg*. 1992 Aug;90(2):174-85; discussion 186-91.

[Ducic Y](#). Titanium mesh and hydroxyapatite cement cranioplasty: a report of 20 cases. *J Oral Maxillofac Surg*. 2002 Mar;60(3):272-6.

[Friedman CD, Costantino PD, Takagi S, Chow LC](#). BoneSource hydroxyapatite cement: a novel biomaterial for craniofacial skeletal tissue engineering and reconstruction. *J Biomed Mater Res*. 1998 Winter;43(4):428-32. Review.

[Indovina A Jr, Block MS](#). Comparison of 3 bone substitutes in canine extraction sites. *J Oral Maxillofac Surg*. 2002 Jan;60(1):53-8.

[Kirschner RE, Karmacharya J, Ong G, Gordon AD, Hunenko O, Losee JE, Gannon FH, Bartlett SP](#). Repair of the immature craniofacial skeleton with a calcium phosphate cement: quantitative assessment of craniofacial growth. *Ann Plast Surg*. 2002 Jul;49(1):33-8; discussion 38.

[Kirschner RE, Karmacharya J, Ong G, Hunenko O, Losee JE, Martin B, Crombleholme TM](#). Synthetic hybrid grafts for craniofacial reconstruction: sustained gene delivery using a calcium phosphate bone mineral substitute. *Ann Plast Surg*. 2001 May;46(5):538-45.

[Krause GE, Mount M, Lepore ML](#). Case report: repair of traumatic oronasal fistula using hydroxyapatite cement: a preliminary case report. *J Craniomaxillofac Trauma*. 1999 Spring;5(1):45-7. No abstract available.

[Kubo S, Takimoto H, Kato A, Yoshimine T](#). Endoscopic cranioplasty with calcium phosphate cement for pterional bone defect after frontotemporal craniotomy: technical note. *Neurosurgery*. 2002 Oct;51(4):1094-6; discussion 1096.

[Mahr MA, Bartley GB, Bite U, Clay RP, Kasperbauer JL, Holmes JM](#). Norian craniofacial repair system bone cement for the repair of craniofacial skeletal defects. *Ophthal Plast Reconstr Surg*. 2000 Sep;16(5):393-8.

[Mazor Z, Peleg M](#). The use of BoneSource for sinus floor augmentation with simultaneous implant placement in the atrophic maxilla. Interview by Arun K. Garg. *Dent Implantol Update*. 2000 Jan;11(1):1-5. No abstract available.

[Reddi SP, Stevens MR, Kline SN, Villanueva P](#). Hydroxyapatite cement in craniofacial trauma surgery: indications and early experience. *J Craniomaxillofac Trauma*. 1999 Spring;5(1):7-12.

[Schmitz JP, Hollinger JO, Milam SB](#). Reconstruction of bone using calcium phosphate bone cements [Shindo ML, Costantino PD, Friedman CD, Chow LC](#). Facial skeletal augmentation using hydroxyapatite cement. *Arch Otolaryngol Head Neck Surg*. 1993 Feb;119(2):185-90.

[Stelnicki EJ, Ousterhout DK](#). Hydroxyapatite paste (BoneSource) used as an onlay implant for supraorbital and malar augmentation. *J Craniofac Surg*. 1997 Sep;8(5):367-72.

[Stelnicki EJ, Hoffman WY, Ousterhout DK](#). A method for repairing zygomatic arch fractures using a hydroxyapatite cement paste (BoneSource). *J Craniofac Surg*. 1997 May;8(3):236-9.

[Turk JB, Parhiscar A](#). BoneSource for craniomaxillofacial reconstruction. *Facial Plast Surg*. 2000;16(1):7-14.

[Verheggen R, Merten HA](#). Correction of skull defects using hydroxyapatite cement (HAC)--evidence derived from animal experiments and clinical experience. *Acta Neurochir (Wien)*. 2001 Sep;143(9):919-26.

OTHER APPLICATIONS

[Bender SA, Schmitz JP, Ong JL](#). Effect of biofluid environment on the dissolution and flexural strength of calcium phosphate bone cements. *Implant Dent*. 2001;10(2):143-8.

[Blom EJ, Klein-Nulend J, Yin L, van Waas MA, Burger EH](#). Transforming growth factor-beta1 incorporated in calcium phosphate cement stimulates osteotransductivity in rat calvarial bone defects. *Clin Oral Implants Res*. 2001 Dec;12(6):609-16.

[Bohner M](#). Calcium orthophosphates in medicine: from ceramics to calcium phosphate cements. *Injury*. 2000 Dec;31 Suppl 4:37-47. Review.

[Bohner M, Lemaitre J, Van Landuyt P, Zambelli PY, Merkle HP, Gander B](#). Gentamicin-loaded hydraulic calcium phosphate bone cement as antibiotic delivery system. *J Pharm Sci*. 1997 May;86(5):565-72.

[Ginebra MP, Fernandez E, De Maeyer EA, Verbeeck RM, Boltong MG, Ginebra J, Driessens FC, Planell JA](#). Setting reaction and hardening of an apatitic calcium phosphate cement. *J Dent Res*. 1997 Apr;76(4):905-12.

[Knaack D, Goad ME, Aiolova M, Rey C, Tofighi A, Chakravarthy P, Lee DD](#). Resorbable calcium phosphate bone substitute. *J Biomed Mater Res*. 1998 Winter;43(4):399-409.

[Lew D, Rubey T, Krizan K, Keller JC](#). Use of hydroxyapatite cement to support implants in extraction sockets. *Implant Dent*. 2000;9(1):45-50.

[Lee DD, Tofighi A, Aiolova M, Chakravarthy P, Catalano A, Majahad A, Knaack D](#). alpha-BSM: a biomimetic bone substitute and drug delivery vehicle. *Clin Orthop*. 1999 Oct;(367 Suppl):S396-405.

[Matic D, Phillips JH](#). A contraindication for the use of hydroxyapatite cement in the pediatric population. *Plast Reconstr Surg*. 2002 Jul;110(1):1-5.

[Mermelstein LE, Chow LC, Friedman C, Crisco JJ III](#). The reinforcement of cancellous bone screws with calcium phosphate cement. *J Orthop Trauma*. 1996;10(1):15-20.

[Otsuka M, Nakahigashi Y, Matsuda Y, Fox JL, Higuchi WI](#). A novel skeletal drug delivery system using self-setting calcium phosphate cement. 7. Effect of biological factors on indomethacin release from the cement loaded on bovine bone. *J Pharm Sci*. 1994 Nov;83(11):1569-73.

[Otsuka M, Matsuda Y, Suwa Y, Fox JL, Higuchi WI](#). A novel skeletal drug delivery system using a self-setting calcium phosphate cement. 5. Drug release behavior from a heterogeneous drug-loaded cement containing an anticancer drug. *J Pharm Sci*. 1994 Nov;83(11):1565-8.

[Otsuka M, Matsuda Y, Suwa Y, Fox JL, Higuchi WI](#). A novel skeletal drug delivery system using self-setting calcium phosphate cement. 2. Physicochemical properties and drug release rate of the cement-containing indomethacin. *J Pharm Sci*. 1994 May;83(5):611-5.

[Otsuka M, Matsuda Y, Suwa Y, Fox JL, Higuchi WI](#). A novel skeletal drug-delivery system using self-setting calcium phosphate cement. 4. Effects of the mixing solution volume on the drug-release rate of heterogeneous aspirin-loaded cement. *J Pharm Sci*. 1994 Feb;83(2):259-63.

[Otsuka M, Matsuda Y, Suwa Y, Fox JL, Higuchi WI](#). A novel skeletal drug-delivery system using self-setting calcium phosphate cement. 3. Physicochemical properties and drug-release rate of bovine insulin and bovine albumin. *J Pharm Sci*. 1994 Feb;83(2):255-8.